Question Booklet No.

000420

Skill Development and Entrepreneurship Department Directorate of Vocational Education and Training Directorate of Skill Development, Employment and Entrepreneurship

Question Paper Group Name: Painter

Question Paper Post Names: Craft Instructor-Painter General

	INCTRICTIONS					
1	INSTRUCTIONS Instruction Inst	+ and				
1.	ensure that it contents all pages and questions before starting to answer. If candidate finds any problem pertaining					
	printing/ binding/ incomplete pages etc, candidate should immediately get the Question Paper replaced from	_				
	Invigilator.	****				
2.	2. Candidate has to write his/ her seat number in this block.					
3.	3. The Question Booklet Number as printed above should be mentioned at the	<u> </u>				
	appropriate place on the OMR Answer Sheet.					
4.	I. All the Questions are provided with 4 options as 1, 2, 3 and 4. Candidate should select the most correct Option	n and				
	mention the Option Number on the OMR Answer Sheet in front of the respective Question Number by fully shadin	ng the				
	Option Number with <u>BLACK INK BALL POINT PEN</u> Only.					
5.	6. All Questions carry equal marks i.e. 1 Question has a weightage of 1 marks. Candidate should mind the available tin	All Questions carry equal marks i.e. 1 Question has a weightage of 1 marks. Candidate should mind the available time for				
	the examination and solve the questions accordingly.					
6.	5. The option shaded once on the OMR Answer Sheet should not be roughed or in any other way changed. Thus cand	didate				
	should take utmost care while marking their options on OMR Answer Sheet. Such changes if any or any attern	should take utmost care while marking their options on OMR Answer Sheet. Such changes if any or any attempt to				
	rough/ change options shall not be checked by the authorities.					
7.	Marks shall be awarded to the correct answers only during the evaluation of the OMR Answer Sheet. No marks shall be					
	deducted for registering wrong answers (shading wrong option) or not attempting questions. Thus there is NO					
	<u>NEGATIVE MARKING SYSTEM</u> .					
8.	All the rough work has to be done on the sheet provided for Rough Work in the Question Booklet only. Writing anything					
	on the Question Paper Booklet, OMR Answer Sheet or any other Paper Sheet shall be treated as an unfair means and					
	entitle for action under "Prohibition of Unfair Practices during examination Ordinance - 1982".					
9.	Method of Shading the Correct Option on the OMR Answer Sheet:	Method of Shading the Correct Option on the OMR Answer Sheet:				
	Q.No. 25.How many Centimeters make 1 Meter?					
	(1) 10 (2) 100					
	(3) 1000 (4) 10000					
	The Correct Option for this Question is (1) and hence the (2) option on the OMR Answer Sheet in front of Question Number 25 has to be shaded as following					
NU	* 0 0 0 0 0 0 0 0					
	Correct Method of Shading Wrong Method of Shading <u>USE ONLY BLACK INK BALL POINT PEN FOR SHADING</u>					

over to the candidate for examination purpose only in the examination hall.

Any means of copying this Question Paper Booklet or any matter within in part or full, and/or transferring/ circulating during the examination period is prohibited and shall be treated as a means of criminal offence and the respective person shall be booked under "Prohibition of Unfair Practices during examination Ordinance - 1982" and shall be entitled for imprisonment for 1 year and / or penalty of Rs. 1000.

Further unauthorized handling, transfer or copying of this Question Paper Booklet and OMR Answer Sheet during examination period by the staff including Departmental Staff and Staff appointed for Examination purpose is also prohibited and entitled for action as per above ordinance.

THIS QUESTION PAPER BOOKLET AND PART - 1 OF OMR ANSWER SHEET HAVE TO BE SUBMITTED TO THE **INVIGILATOR AFTER THE EXAMINATION.**

1 Allied Trade Most Nearest 8	k uses related to painter trade.
1. Plumber	2. Sheet metal
3. Carpenter	4. Machine shop
2 Powder applying before pol	ishing or varnishing on wooden surface.
1. Whiting	2. P.O.P.
3. Red oxide	4. Raw sinna
3. Varnish also used on plywood for purp	pose of
1. Internal usable part	2. Joints
3. Laminate pasting	4. None of these
4. Basic primary colours are	
1. B & W	2. R/B/Y
3. R/G/B	4. All of these
5. Appoxy paint is most preferable for	types of work area.
1. Chemically moistured	2. Heat & dry
3. Under water	4. Cold & dry
6. Over all thickness of letter uniformly o	r equal is that font is called letters.
1. Roman	2. Italic
3. Gothic	4. None of these
7 type of brush is useful for sig	gn board painting.
1. Short hair	2. Long hair
3. Half round	4. Short Handel

8	putty is apply on metal surface for ordinary or regular appliances.		
	1. Wet putty	2. P.O.P.	
	3. Carpase	4. Enamel	
9. Em	bossing & 3D effects for decorative lette	rs is most effectively made in software.	
	1. Corel Draw	2. Paint brush	
	3. Auto cad	4. Photoshop	
10. W	hich is the semi gloss colour for wall surf	ace?	
	1. Oil bond	2. Oil paint	
	3. Luster paint	4. Cement paint	
11. Ca	anvas surface making with coat f	for quality painting.	
	1. Bond paint	2. White putty	
	3. Texture white	4. Acrylic	
12. W	ell surface paint by brush is most smooth	when operate on wet surface.	
	1. Spunj roller	2. Putty knife	
	3. Cotton west	4. None of these	
13. Th	e thermosetting acrylic resins are use for	type of coating.	
	1. Stoving	2. Air dry	
	3. Boiled	4. All of these	
14. PV	'C is called		
	1. Popular vost colour	2. Poly vinyl chloride	
	3. Poly vanila chioride	4. None of those	

15. Alkyd resins are the widely use for paints.	
1. Extenders	2. Binders
3. Reducers	4. Dryers
16. Without primering surface is coating direct	ly paint before that process surface is
1. Scratched	2. Eaching
3. Grinding	4. Clean by water
17. Standard (cartradge) drawing paper size is	·
1. 18" X 23"	2. 23" X 36"
3. 22" X 28"	4. 20" X 30"
18. For water colour landscape making on	paper is given best result.
1. Mount paper	2. Hand made paper
3. Art paper	4. Matt paper
19. During automotive painting or metal surface.	e for leveling by water proof paper calling this process is
1. Dry sanding	2. Greed sanding
3. Wet sanding	4. Cold sanding
20. Distance between surface & spraying gun d	uring painting. The gun is is long from surface.
1. 6" to 8"	2. 8" to 10"
3. 10" to 12"	4. 18"
21 film is use for sharp & large quan	ntity printing in screen printing.
1. Lith film	2. Bromide
3. Cromoline film	4. All of these

22	light is the best light for screen ex	posing.
	1. Direct	2. Sun light
	3. Sodium light	4. None of these
23. Fo	r viscosity of paints measuring by	instrument.
	1. Measuring glass	2. Litter cup
	3. Ford cup	4. None of these
24	solution + sensitisor, combination	on - solution use for screen making.
	1. PVC	2. PVA
	3. AVA	4. CPV
25. Oi	l paint, poster colour, plastic paint, oil co	lour, These are all colours are colours.
	1. Matt	2. Opeque
	3. Transparent	4. Gloss
26	brushes known as super quality l	brushes for artistic work.
	1. Hog hair	2. Nylon hair
	3. Sable hair	4. Synthetic hair
27. Vi	scosity of paint is low diffect is cre-	ated.
	1. Orange pill	2. Sagging
	3. Dry pill	4. All of these
28. To	day most popular & economical media fo	or outdoor board advertisement is
	1. Canvas	2. Cotton banner
	3. Flex	4. Neon

25. UI	iset printing technology sequence are _	 '
	1. RGB	2. RGBK
	3. CMYK	4. None of these
30	print is also useful for screen exp	posing.
	1. Inkjet tracing	2. Laser tracing
	3. OHP print	4. All of these
31. Fo	r spray painting, air pressure must be	
	1. 25 to 35 lbs	2. 35 to 40 lbs
	3. 18 to 22 lbs	4. 15 to 18 lbs
32. Ur	n-even pressure and high viscosity create	a problem while spray painting.
	1. Dny dotts	2. Thick film
	3. Orange pill	4. Pynaple skin
	onomical & manual technic for continuo	us painting for design or numbering repetition as known
	1. Stenciling	2. Spraying
	3. Tracing	4. Repainting
34. To	create a texture for decorative wall pain	nting by
	1. Texture roller	2. Knife
	3. Comb knife	4. Hand Impression
35. Sp	ray gun work with the help of	
	1. Compressed air	2. Pump
	3. None of these	4. Both of these

	56. Scratch hardness tester use for	<u>_</u> ·
	1. Addhetion of paint	2. Hardness of paint film
	3. Density of paint	4. Viscosity of paint
ı	37. Linseed oil use for painti	ng.
	1. Oil colours	2. Oil paint
	3. Screen print	4. Flex print
	38. Wooden surface cleaning process	paper is use.
	1. Emery	2. Tinted
	3. Fiber	4. Sand
	39. The essential component of paint ma	terial is
	1. Binder	2. Solvent
	3. Pigment	4. All of these
		·
	40. When the requirement of mask some	portion of car not to be painted, It is always prefer to use
	1. Brush painting	2. Roller painting
	3. Spray painting	4. None of these

SPACE FOR ROUGH WORK