

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

SPECIFICATION FOR BEAUTY EQUIPMENTS



क्षां संवाद विकास से वास्तु विकास से वास्तु

Government of Maharashtra

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

TABLE OF CONTENTS

1	Barber Scissor - 5 Inch, Set of 4	3
2	Beauty Equipment Studio	4
3	Beauty Equipment Trolleys	6
4	Ceramic Straightening Iron	7
5	Crimper	8
6	Curling Rod with Attachment	9
7	Dry Sterilizer - Ultra Violet	10
8	EMS Machine	11
9	Facial Bed	12
10	Hair Dryer - 2000 W	13
11	High Frequency Machine	14
12	Hood Dryer with stand	15
13	Hot Rollers	16
14	Hot Towel Cabinet - Single Door	17
15	Infrared Lamp	18
16	Manicure Bowls	19
17	Manicure Stool	20
18	Manicure Table	21
19	Manicure Trolley	22
20	Neck Tray for Perming	23
21	Pedi Spa Tub	24
22	Pedicure Stool	25
23	Shampoo Station with Chair	26
24	Multipurpose Styling Chair	27
25	Thinning Scissors	28
26	Vapozone	29
27	Wax Heater - Single Pot	
28	Wet Sterilizer	
29	Yoga Mat	32

ACCUSE A STATE OF THE STATE OF

Government of Maharashtra

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

1 Barber Scissor - 5 Inch, Set of 4



- 1.2 Should be supplied in set of four
- 1.3 Size: 5.5 inch
- 1.4 Should have off set hand holding design
- 1.5 Finish: Mirror finish
- 1.6 Should be useful in hair cut

AND HOLES OF THE STREET OF THE

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

2 Beauty Equipment Studio



- 2.2 Dimensions: Height 30 Inches, length 24 Inches, width 12 Inches
- 2.3 Voltage: 220 Volts, 50 Hz
- 2.4 The machine should have following 8 uses
 - 2.4.1 High frequency
 - 2.4.2 Vacuum
 - 2.4.3 Spray
 - 2.4.4 Peeling
 - 2.4.5 Galvanic
 - 2.4.6 Woods Lamp
 - 2.4.7 Vaporizer
 - 2.4.8 Towel Warmer with Hot Cabinet
- 2.5 High frequency
 - 2.5.1 Should be able to stimulate circulation of blood
 - 2.5.2 Should aid in deeper penetration of product in to the skin
 - 2.5.3 Should aid in elimination and absorption
 - 2.5.4 Stimulates circulation of blood
 - 2.5.5 Acts deeper penetration of products in to skin
- 2.6 Vacuum
 - 2.6.1 Suction should help deep pour cleansing
 - 2.6.2 Should also give deep penetrating massage and draws blood to surface skin
- 2.7 Spray
 - 2.7.1 Should help in thorough cleansing of skin's surface
 - 2.7.2 Spay should be used to flush out the pours

CONTROL STATE

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

		-
2.8	Pee	ling

- 2.8.1 Should be able to slough off the dead cells and to remove any dirt that sticks to the surface of the skin
- 2.9 Galvanic
 - 2.9.1 Should introduce water soluble products in to skin
 - 2.9.2 Should close to pores after facial treatment
 - 2.9.3 Should prevent inflammation after blemish treatment
 - 2.9.4 Should force acid PH solutions such as astringent in to skin
 - 2.9.5 Should stimulate the circulation of blood to dry skin
- 2.10 Woods Lamp
 - 2.10.1 Should help to analyze skin condition
 - 2.10.2 Violet rays enables to analyze surface and deeper layer of skin in order to determine proper treatment of various skin conditions
- 2.11 Vaporizer
 - 2.11.1 Vapors must soften the dead surface cells
 - 2.11.2 Warm humid mist will aid in opening the follicles so that they can be properly cleansed
- 2.12 Towel Warmer with Hot Cabinet
 - 2.12.1 Constant temperature control to 60 degrees centigrade
 - 2.12.2 Capacity to store 12 towels
- 2.13 Should have arrangement for Two Bowls for product/ accessories
- 2.14 Two Bowls should be provided with machine

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

3 **Beauty Equipment Trolleys**

3.1 Basic indicative diagram



3.2	Dimensions:	
	3 2 1	Varia

Variation: ± 5% 3.2.2 Height: 90 cm 3.2.3 Width: 33 cm 3.2.4 Depth: 35 cm 5

3.3 Number of trays:

3.4 Material:

> 3.4.1 **Plastics** Tray:

3.4.2 Frame Side Panels: MS Tube & Sheet

3.5 Color: Black

3.6 Should be suitable for hair dressing

3.7 Top Tray having provision for holding accessories

Provision to keep bowl on both side 3.8

3.9 Ring should be attached for keeping Hair dryer

Caster wheel should be attached 3.10

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

Government of Maharashtra

Version 1 2019 - 20

4 Ceramic Straightening Iron

4.1 Basic indicative diagram



4.2 Size of Rod: 35 to 40 mm

4.3 Variable temperature: 130 – 230 Degree Centigrade

4.4 Power: 50 W, 230 Volts

4.5 Finish: This Iron Body should have Black Matte Finish

4.6 Should display Digital Temperature

4.7 Should be suitable for Hair Straightening & smoothening

4.8 Should have Infrared Light for Dandruff treatment

STEELER STOPP

Government of Maharashtra Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

Version 1 2019 - 20

5 Crimper

5.1 Basic indicative diagram



5.2 Voltage: 240 Volt5.3 Power: 65 watts

5.4 Working temperature: Digital Temperature Operating System: 130 to 230 Degree Centigrade

5.5 Should be suitable for Hair Crimping5.6 Finish: Black Matt finish

AND THE PROPERTY OF THE PROPER

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

6 Curling Rod with Attachment



- 6.2 Voltage: AC 220V, 50/60Hz
- 6.3 Should be able to eliminates dull, frizzy & dehydrated hair
- 6.4 Should be useful for curling hair
- 6.5 Prevents Split Ends
- 6.6 Makes hair silly shine and healthy
- 6.7 Locks color & hairs natural moisture
- 6.8 Side vents to allow water to evaporate as steam technical data
- 6.9 Rated Capacity: 30-60W
- 6.10 Cord: 2.5 Meter
- 6.11 CE Certificate
- 6.12 360 Degree Swivel Cord

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State **SPECIFICATION FOR BEAUTY EQUIPMENTS**

7 **Dry Sterilizer - Ultra Violet**

7.1 Basic indicative diagram



- 7.2 Should be useful for killing bacteria & germs for scissor, comb, brushes
- 7.3 Voltage: 110-240 V
- 7.4 Box: Rectangular ABS 8W UV sterilizer
- 7.5 Should work as sterilization cleaning tool
- Frequency: 50 Hz / 60 Hz 7.6
- 7.7 Power: 8 W
- 7.8 Space capacity: 5 Liter
- ABS environmental protection material 7.9 Material:
- 7.10 Disinfection: UV + Ozone
- 7.11 Disinfection Time: 30 minute
- 7.12 Should be useful for: Wig, Beauty Nail Tools, Tooth Brushes, Clothing, Combs,

Glasses, etc.

AND THE PROPERTY OF THE PROPER

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

8 EMS Machine



- 8.2 Should have
 - 8.2.1 8 Channels, 16 pads output
 - 8.2.2 Digital treatment timer
 - 8.2.3 Three modes (Inch Loss, Fat Loss & Toning / Firming)
 - 8.2.4 Each channel has independent power controls
- 8.3 Should be useful for
 - 8.3.1 Figure toning for women
 - 8.3.2 Body firming for men
 - 8.3.3 Post-natal improvement
 - 8.3.4 Enhance local break down of fats
 - 8.3.5 Uplift sagging abdomen, buttocks & thighs

OMEST AND THE STATE OF THE STAT

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

Government of Maharashtra

Version 1 2019 - 20

9 Facial Bed

9.1 Basic indicative diagram



9.2 Size:

9.2.1 Length: 6 Feet9.2.2 Width: 2 Feet9.2.3 Height: 30 Inch

9.3 Material (Frame & Storage): M.S. Pipe & Sheet

9.4 Material (Bed): Soft Cushion Foam & Foam Leather

9.5 Bed should be provided with Metal Storage

ACCUST HOLDER OF THE PARTY OF T

Government of Maharashtra

Page 13 of 32

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

10 Hair Dryer - 2000 W

10.1 Basic indicative diagram



10.2 Rating: 220V -240V, 50/ 60 Hz, 2200 W - 2500 W

10.3 Cool shot button

10.4 2 Speed Combination

10.5 2 Air Flow Nozzles

10.6 Power rating: 2500 Watt10.7 Cord Length: 2.5 Meters

AND HOLES OF THE STREET OF THE

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

11 High Frequency Machine

11.1 Basic indicative diagram



11.2 Voltage: 220 V11.3 Power: 11 wats

- 11.4 Should be useful for
 - 11.4.1 Accelerate Blood Circulation
 - 11.4.2 Strengthen Lymph Activity
 - 11.4.3 Kill Bacteria & Virus
 - 11.4.4 Stimulate Circulation
 - 11.4.5 Eliminate Acne & Pimples
 - 11.4.6 Should be useful for disinfection, promoting acne recovery, reducing wrinkle metabolism and blood circulation of your skin and your head
- 11.5 Should have provision four different attachments
 - 11.5.1 Large mushroom for large facial areas
 - 11.5.2 Small mushroom for smaller area
 - 11.5.3 Small glass head for spot areas
 - 11.5.4 Comb accelerate the blood circulation of the head

प्रताम संगरनाति । वर्षे प्रतास संगरनाति । वर्षे प्रतास संगरनाति । वर्षे प्रतास संगरनाति ।

Government of Maharashtra

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

12 Hood Dryer with stand



- 12.2 Hood should be made of fiber glass
- 12.3 Diameter: 12 to 14 Inch
- 12.4 Should hold the transparent visor, folding all along the diameter with half the visor fix while half folding
- 12.5 The hood should contain heavy duty motor
- 12.6 The unit should be control by timer that shuts the unit off immediately after the desired time
- 12.7 Hood should be fixed on the stand
- 12.8 Cool warm and hot head selector switch should be provided

Outset and

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

13 Hot Rollers

13.1 Basic indicative diagram



13.2 Frequency: 50 Hz

13.3 Max Temperature: 160 Degree Celsius13.4 Min Temperature: 140 Degree Celsius

13.5 Power: 40 W

13.6 Voltage: 220 - 240 V

13.7 Should be useful for Curling Hair

13.8 Rollers:

 13.8.1 Small:
 6 Nos.

 13.8.2 Medium:
 6 Nos.

 13.8.3 Big:
 8 Nos.

ACCUSE A STATE OF THE STATE OF

Government of Maharashtra

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

14 Hot Towel Cabinet - Single Door

14.1 Basic indicative diagram



 14.2
 Rated Volume:
 23 Liter

 14.3
 Power:
 200 Watt

 14.4
 Voltage:
 220 Volt

14.5 Set temperature: 80 Degree Centigrade (+10)

14.6 External dimension: 452 X 310 X 360 mm

14.7 Should be useful beauty salon & Spa

14.8 Maintains average temperature of 176 Degree Fahrenheit

14.9 Place on counter tops, carts, or below treatment tables

14.10 Double walled plastic door

14.11 Rust proof aluminum interior

14.12 Should be useful for Warming Towel

ACCOUNT WATER

Government of Maharashtra Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

15 Infrared Lamp

15.1 Basic indicative diagram



15.2 Should be provided on a pedestal

15.3 Voltage: AC 240V, Frequency: 50 Hz

15.4 Power: 200 to 300W

15.5 Good quality infrared bulb should be supplied

मुलाभा संवास्त्र हो। स्वास्त्र संवास्त्र हो। स्वास्त्र संवास्त्र हो।

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

16 Manicure Bowls

16.1 Basic indicative diagram



16.2 Number of Bowl: 3

16.3 Size of bowls: 5, 6.5 and 7.5 inch
16.4 Capacity: 400, 1000 and 1500 ml
16.5 Should be useful for manicure, facial & hair color

AMERICAN AND THE PARTY OF THE P

Government of Maharashtra

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

17 Manicure Stool



- 17.2 Should have Soft Cushion Top with back
- 17.3 Should have Adjustable Height
- 17.4 Should be useful for Manicure
- 17.5 Color: Black

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

Government of Maharashtra

Version 1 2019 - 20

18 Manicure Table

18.1 Basic indicative diagram



18.2 Size:

 18.2.1
 Variation:
 ± 10%

 18.2.2
 Length:
 17 Inch

 18.2.3
 Width:
 12 Inch

 18.2.4
 Height:
 30 Inch

18.3 Should be supplied with two bowls, 3 drawers, middle cushion and lamp

18.4 Should be supplied with caster wheels attached

TO SEE STATE OF THE SEC STATE OF THE SEC

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

19 Manicure Trolley

19.1 Basic indicative diagram



19.2 Size:

 19.2.1 Variation:
 ± 10%

 19.2.2 Length:
 17 Inch

 19.2.3 Width:
 12 Inch

 19.2.4 Height:
 30 Inch

19.3 Material:

19.4

19.3.1 Frame: M.S. Tube and Sheet

19.3.2 Shelf: Plastic Shelf: 3 and 1 Tray

19.5 Towel stand on one side

19.6 Should have 2 bowls of 1500 ml

19.7 Bowl size: 8 Inch
19.8 Bowl material: Plastics
19.9 Should be useful for manicure

19.10 Trolley provided with Caster Wheel

AND THE PROPERTY OF THE PARTY O

Government of Maharashtra Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

20 Neck Tray for Perming



- 20.2 Should be light weight, portable and easy to carry and use
- 20.3 Should be stable and comfortable.
- 20.4 Should be perm proof container.
- 20.5 Should help avoid stains and is easy to place around the neck.
- 20.6 Should be useful for salon hairdressing.
- 20.7 Material: PVC
- 20.8 Color: Black

STATE OF STA

Government of Maharashtra

Version 1 2019 - 20

Page 24 of 32

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

21 Pedi Spa Tub

21.1 Basic indicative diagram



21.2 Size:

 21.2.1 Length:
 21 Inch

 21.2.2 Width:
 21 Inch

 21.2.3 Height:
 15 Inch

 21.2.4 Variation:
 ± 10%

21.3 Pedi Tub with Jacuzzi

21.4 Should have light arrangement

21.5 Should have Hot System

21.6 Caster wheel for easy movement

AND THE PROPERTY OF THE PROPER

Government of Maharashtra Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

22 Pedicure Stool



- 22.2 Material: Fiber Glass
- 22.3 Should be useful for pedicure Spa
- 22.4 Should be water resistant.
- 22.5 Should be fitted with castor wheels at the bottom for easy

ACCUST HOLDER OF THE PARTY OF T

Government of Maharashtra Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

Version 1 2019 - 20

23 Shampoo Station with Chair

23.1 Basic indicative diagram



23.2 Should have cushioning of soft material.

23.3 Basin: Ceramic

23.4 Size:

23.4.1 Length: 60 Inches 23.4.2 Width: 27 Inches 23.4.3 Height: 36 inches 23.4.4 Variation: ± 10%

23.5 Should be useful in hair Wash with attached Hand Shower

23.6 Seat Adjustable

AND THE PROPERTY OF THE PROPER

Government of Maharashtra

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

24 Multipurpose Styling Chair

24.1 Basic indicative diagram



- 24.2 Salon Chair
- 24.3 This Chair Useful in Hair Cutting
- 24.4 This Chair is Hydraulic & Reclining Chair
- 24.5 Seat Size

24.5.1 Length: 24 Inch 24.5.2 Width: 25 Inch 24.5.3 Variation: ± 10%

24.6 Chair Rotation: 360 Degree24.7 Hand Rest Material: Stainless steel

24.8 Base Material: Square Stainless Steel base24.9 Should be fitted with hydraulic pump for easy lifting

24.10 Should be reclining backrest up to 45 Degrees

24.11 Should have removable and detachable headrest

24.12 Should have revolving lock function

24.13 Useful for styling chair for hair

ACTIVITY HOLD THE PARTY OF THE

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

25 Thinning Scissors



- 25.2 Size: 5 inch
- 25.3 Should be double thinning
- 25.4 Should be useful for hair cutting
- 25.5 Should have off set hand holding design
- 25.6 Finish: Mirror finish

Government of Maharashtra tional Education and Training. Maharashtra Sta

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

26 Vapozone

26.1 Basic indicative diagram



26.2 Frequency: 50 - 60 Hz

26.3 Steamer should be useful for Facial

26.4 Voltage: 220/110V

26.5 Material: Plastic

26.6 Ozone vaporizer

26.7 Color: White

26.8 Continuously adjustable steam output

26.9 Adjustable height

मुलाभा संवास्त्र हो। स्वास्त्र संवास्त्र हो। स्वास्त्र संवास्त्र हो।

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

27 Wax Heater - Single Pot

27.1 Basic indicative diagram



27.2 Voltage: 220V-240V, 50HZ

27.3 Temperature: Up to 150 Degree Centigrade

27.4 Single Pot

27.5 Should be useful for all Types of Wax

मुलाभा संवास्त्र हो। स्वास्त्र संवास्त्र हो। स्वास्त्र संवास्त्र हो।

Government of Maharashtra

Version 1 2019 - 20

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

28 Wet Sterilizer

28.1 Basic indicative diagram



28.2 Rated volume: 46 Liter28.3 Power: 400 watt28.4 Voltage: 220 Volt

28.5 Set temperature: 80 Degree Centigrade (+10) 28.6 External dimension: 452 X 310 X 645 mm (± 10%)

CONTROL STATE

Directorate of Vocational Education and Training, Maharashtra State SPECIFICATION FOR BEAUTY EQUIPMENTS

Government of Maharashtra

29 Yoga Mat

29.1 Basic indicative diagram



29.2 Size: 6 X 2 feet29.3 Thickness: 6 mm29.4 Material: Rubber